	Type	Hits	Search Text
1	BRS	1645	search$.ab,ti,clm. and similar$5 and node and edge
2	BRS	488	S1 and weight
3	BRS	343	S2 and distance
4	BRS	173	S3 and hierarch$6
5	BRS	85	S4 and similarity
6	BRS	81	S5 and (network or graph)
7	BRS	52	S6 and attribute$3
8	BRS	0	S7 and (attribute near node near (edge or graph or network))
9	BRS	0	S7 and (attribute near node)
10	BRS	2	S7 and (attribute$3 near node)

	Type	Hits	Search Text
11	BRS	10	S1 and (attribute$3 near node) and similarity and (network or graph)
12	BRS	54	"5278978".pn. or "5377203".pn. or "5487169".pn. or "5608874".pn. or "5819268".pn. or "5845283".pn. or "5963731".pn. or "5974248".pn. or "5995980".pn. or "6075529".pn. or "6081811".pn. or "6148277".pn. or "6148427".pn. or "6195658".pn. or "6249786".pn. or "6269474".pn. or "6311175".pn. or "6393435".pn. or "6411395".pn. or "6421620".pn. or "6425118".pn. or "6587969".pn. or "6601203".pn. or "6615220".pn. or "6622271".pn. or "6631382".pn. or "6636864".pn.
13	BRS	2	"5764239".pn.
14	BRS	7	node and attribute$2 and (relevance adj network$2)
15	BRS	6	node and (attribute or attributes) and (relevance adj network$2)
16	BRS	5	node and ((attribute or attributes) near2 node$1) and (relevance adj network$2)

Web   Images   Groups   News   Froogle   Maps   more »

Google™

connecting element node and attribute nodes   Search   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results **1 - 10** of about **248,000** for <u>**connecting element node** and **attribute nodes** in a **similarity syste**</u>

<u>Scholarly articles for **connecting element node and attribute nodes in a similarity system**</u>
<u>Topology matching for fully automatic similarity ...</u> - by Hilaga - 233 citations
<u>A flexible model for retrieval of SGML documents</u> - by Myaeng - 79 citations
<u>Structuring and visualising the WWW by generalised ...</u> - by Chen - 88 citations

[DOC] <u>A WEIGHTED-TREE **SIMILARITY** ALGORITHM FOR MULTI-AGENT **SYSTEMS** IN E ...</u>
File Format: Microsoft Word - <u>View as HTML</u>
(a) We improve the inner **node similarity** measures by computing their taxonomic ... the
weighted length of the shortest path **connecting** them in the taxonomy. ...
www.cs.unb.ca/agentmatcher/MainPage/ YangBallBhavsarBoley-JBT%20Final%
20Submission.doc - <u>Similar pages</u>

[PDF] <u>Matching Knowledge Elements in Concept Maps using a **Similarity** ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
we add an **element** anchoring mechanism to a **similarity**. flooding (SF) algorithm to
match ... and appropriate **attributes** can also be attached to the **nodes**. ...
oregonstate.edu/~marshaby/Papers/ MatchKnowledgeElements_PrePrintVersion.pdf -
<u>Similar pages</u>

<u>[Paper] Modeling Web Hypermedia **Systems**</u>
Their **connecting** relationships are modeled via a Web information **system** abstraction ...
The use of class and **attribute nodes,** as well as of **attribute** and ...
www.actapress.com/PDFViewer.aspx?paperId=15213 - <u>Similar pages</u>

[DOC] <u>DATA INTEGRATION SEMINAR</u>
File Format: Microsoft Word - <u>View as HTML</u>
When one of the elements is an inner **node**, the structural **similarity** is ... Before integration
will be performed, **attribute** names and **element** values need to ...
www.ipsi.fraunhofer.de/~lehti/ seminar2004/AutomaticSchemaIntegration.doc -
<u>Similar pages</u>

<u>oreilly.com -- Online Catalog: Learning XML</u>
node sets, returning, 220 id **attribute,** <xsl:transform> document **element,** 201 ...
connecting resources with, 70-104 ID and IDREF, 78-81 ID **attributes** ...
www.oreilly.com/catalog/learnxml/inx.html - 102k - <u>Cached</u> - <u>Similar pages</u>

[DOC] <u>Br</u>
File Format: Microsoft Word - <u>View as HTML</u>
Each new **element** is assigned to a new **node** in a data structure with links **connecting** this
node to the pre-established **nodes** for its two constituents. ...
www.cognitionresearch.org.uk/ papers/ll/bjp_1976/wolff_1976.doc - <u>Similar pages</u>

<u>XML Pipeline Language (XPL) Version 1.0 (Draft)</u>
The **element** containing this **attribute node** is referred to as the defining ... For example, an
XML processor can access information by **connecting** to a ...
www.w3.org/Submission/xpl/ - 125k - <u>Cached</u> - <u>Similar pages</u>

<u>Connectivism: Learning as Network-Creation</u>

As a result, the **node** is treated as a fringe **element** and left largely ... Optimal meaning-generation follows general **attributes** of **systems**: open, adaptive, ...
www.learningcircuits.org/2005/nov2005/seimens.htm - 91k - Cached - Similar pages

[PDF] Inhomogeneous Force-Directed Layout Algorithms in the ...
File Format: PDF/Adobe Acrobat
Figure 7 shows how the domain **attributes** points. and semester have been included in the **node element**. while edges carry an **attribute** indicating the kind of ...
portal.acm.org/affiliated/ft_gateway.cfm?id=1082107&
type=pdf&coll=ACM&dl=ACM&CFID=1515151... - Similar pages

[PDF] Trees, Dendrograms and Sensitivity
File Format: PDF/Adobe Acrobat - View as HTML
system. An **element** in model validation is the ... edge between **nodes** i and j. There is no analogue to. the **attribute** matrix X, which determines S(X). ...
www.iemss.org/iemss2002/proceedings/ pdf/volume%20due/328_braddock%202.pdf -
Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

| connecting element node and attribu | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   Images   Groups   News   Froogle   Maps   more »

Google™

connecting element node and attribute nodes	**Search**	Advanced Search
		Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **1,710,000** for **connecting element node** and **attribute nodes**. (0.28 seconds)

Tree-Based XML Programming Guide for Cocoa: Binding NSXML Objects ...
Connecting Controllers and NSXMLNode Objects ... If the selected child is an **element node** with **attributes** or namespaces, the application displays them in ...
developer.apple.com/documentation/Cocoa/
Conceptual/NSXML_Concepts/Articles/BindingXMLObjects.html - 29k -
Cached - Similar pages

Document Object Model (DOM) Level 3 Events Specification: Glossary
A read only **node** is a **node** that is immutable. This means its list of children, its content, and its **attributes**, when it is an **element**, cannot be changed in ...
www.stylusstudio.com/w3c/domevents/glossary.htm - 34k - Cached - Similar pages

3 Creating Connect for SQL/XML Queries Using the Builder
Specifies an XML **attribute** associated with an **ELEMENT node**. ... JDBC connection URL, continue with "**Connecting** Using JDBC Connection URLs" ...
media.datadirect.com/download/ docs/connectsqlxml/csxug/sql_xml_builder.html - 139k -
Cached - Similar pages

Glossary
This means its list of children, its content, and its **attributes**, when it is an **element**, cannot be changed in any way. However, a readonly **node** can possibly ...
www.w3.org/TR/2000/ CR-DOM-Level-2-20000510/glossary.html - 20k -
Cached - Similar pages

Glossary
Each **element** has a type, identified by name, and may have a set of **attributes**. ... Finally, if the **nodes** have **attributes** then collection of **attribute** names ...
www.w3.org/TR/REC-DOM-Level-1/glossary.html - 15k - Cached - Similar pages

Software Carpentry: Basic XML and XHTML (Draft Version 574)
Connecting to Other Data. How to put an image in a page? ... Set **attributes** of **element nodes** using setAttribute(attributeName, newValue) ...
osl.iu.edu/~lums/swc/www/xml.html - 39k - Cached - Similar pages

Inside the XForms validator
Select = **element** select { Select.**Attributes**, Select.Content } Select.**Attributes** &=
Common.**Attributes**, Single.**Node**.Binding.**Attributes**, UI.Common.**Attributes** ...
www.ibm.com/developerworks/xml/library/x-xfvalid.html - 45k - Cached - Similar pages

Java Reference Guide > Extensible Markup Language (XML)
In DOM terms, each **node** of the XML document is an **Element**. An **Element** can contain other **Element nodes**, **Attribute nodes**, and Text **nodes**, the specifics of ...
www.informit.com/guides/ content.asp?g=java&seqNum=110 - 43k -
Cached - Similar pages

Title Index
... Definitions of Managed Objects for Extended Border **Node** ... Proposed protocol for **connecting** host computers to ARPA-like networks via front end ...
dret.net/rfc-index/titles - Similar pages

XPath, XLink, XPointer, and XML: A Practical Guide to Web ...
Connecting to the Internet. How the Internet Works. The World Wide Web. ... General Model. Root **Node. Element Node. Attribute Node.** Namespace **Node.** ...
www.awprofessional.com/titles/0201703440 - 42k - Cached - Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| connecting element node and attribu | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   **Images**   **Groups**   **News**   **Froogle**   **Maps**   **more »**

Google   attributes and nodes in relevance network   **Search**   Advanced Search
                                                                        Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web   Results 1 - 10 of about **720,000** for **attributes** and **nodes** in **relevance network**. (0.36 seconds)

Scholarly articles for **attributes and nodes in relevance network**

Next century challenges: scalable coordination in sensor ... - by Estrin - 930 citations
A graph-based approach for extracting terminological ... - by Palopoli - 24 citations
Bayesian Metanetworks for Modelling User Preferences in ... - by Terziyan - 6 citations

Citations: Using **relevance** to reduce **network** size automatically ...
Michael C. Mozer and Paul Smolensky, "Using **relevance** to reduce **network** size ...
removes **nodes** by assessing their **relevance** during the training process. ...
citeseer.ist.psu.edu/context/113363/0 - 34k - Cached - Similar pages

Microsoft Neural **Network** Algorithm (SSAS)
For example, a binary input **attribute** produces one input **node** that describes a ... which
describes the **relevance** or importance of a particular input to the ...
msdn2.microsoft.com/en-us/library/ms174941.aspx - 31k - Cached - Similar pages

Connectivism: Learning as **Network**-Creation
A **node** grows in popularity (**relevance**) as more **nodes** link to it. ... External **attributes** of
an ecology or **network** also influence how well information flows. ...
www.learningcircuits.org/2005/nov2005/seimens.htm - 91k - Cached - Similar pages

GaWC Research Bulletin 23
In a short conclusion the **relevance** of this world city **network** ... In the world city **network**,
as already noted, the definition of **node** is not so ...
www.lboro.ac.uk/gawc/rb/rb23.html - 59k - Cached - Similar pages

EP1455283 Fujitsu european software patent - Information **relevance** ...
a **relevance** information extract step which extracts **attributes** common to two ... [0011] In
the second **network** display step, the **attribute nodes** may be ...
gauss.ffii.org/PatentView/EP1455283 - 68k - Cached - Similar pages

[PDF] **Network** Perspectives In The Evaluation Of Development ...
File Format: PDF/Adobe Acrobat - View as HTML
nodes. In social **network** analysis the **nodes** of concern are people, groups and ... the
relevance of a **network** perspective. Alliances between major northern ...
www.mande.co.uk/docs/nape.pdf - Similar pages

Gregory John Downey - **Nodes, Links, and Phase Transitions** ...
In a small-world **network**, individual **nodes** (persons, in this case) are ... links as
homogenous **network** components with clearly defined **attributes**; however, ...
muse.jhu.edu/journals/technology_ and_culture/v045/45.1downey.html - Similar pages

GIS@development: April 2006: **Relevance** of Hyperspectral Data for ...
The **nodes** in the output layer represent the range of possible output categories to be
produced by the **network** [4]. Between the input and output layers are ...
www.gisdevelopment.net/ magazine/years/2006/april/30_2.htm - 14k -
Cached - Similar pages

User Modeling for Information Filtering on INTERNET Services ...

Each semantic **network** includes a central **node** that represents a main topic ... part of the
user profile includes a list of weighted **attribute**-value pairs, ...
ten.dimi.uniud.it/~tasso/UM-96UMT.html - 15k - Cached - Similar pages

esp@cenet document view
Information **relevance** display method program storage medium and apparatus ... the
element **nodes** in the first **network** into a display of **attribute nodes** for ...
I2.espacenet.com/espacenet/viewer?PN=EP1455283 - 37k - Cached - Similar pages

Try your search again on Google Book Search

Gooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

See all your photos right in your Sidebar.
Free! Download Google Desktop.

attributes and nodes in relevance ne   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   Images   Groups   News   Froogle   Maps   **more »**

Google™

`relevance network nodes and attributes`   [Search]   Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **11 - 20** of about **719,000** for relevance network nodes and attributes. (0.09 seconds)

Gregory John Downey - Nodes, Links, and Phase Transitions ...
In a small-world **network**, individual **nodes** (persons, in this case) are ... links as
homogenous **network** components with clearly defined **attributes**; however, ...
muse.jhu.edu/journals/technology_ and_culture/v045/45.1downey.html - Similar pages

Network Data Models
Topology is the arrangement of **nodes** and links in a **network**. Of particular **relevance** are
the representations of location, direction and connectivity. ...
people.hofstra.edu/geotrans/ eng/ch2en/meth2en/ch2m3en.html - 18k -
Cached - Similar pages

User Modeling for Information Filtering on INTERNET Services ...
Each semantic **network** includes a central **node** that represents a main topic ... part of the
user profile includes a list of weighted **attribute**-value pairs, ...
ten.dimi.uniud.it/~tasso/UM-96UMT.html - 15k - Cached - Similar pages

esp@cenet document view
Information **relevance** display method program storage medium and apparatus ... the
element **nodes** in the first **network** into a display of **attribute nodes** for ...
l2.espacenet.com/espacenet/viewer?PN=EP1455283 - 37k - Cached - Similar pages

[PPT] Semantic Web
File Format: Microsoft Powerpoint - View as HTML
Display **relevance**. 7 March 2001. KT2001: The Semantic **Network** of IKM-I3 ... Defining
which other **nodes (and attributes)** are contextually important for a ...
www2.gca.org/knowledgetechnologies/ 2001/proceedings/Poell%20Slides.ppt -
Similar pages

Citations: Probabilistic Similarity Networks - Heckerman ...
For example, let X and Y be two **attributes** such that always X = Y . Thus, ... **network** is a
directed acyclic graph whose **nodes** are **attributes** and whose arcs ...
citeseer.ist.psu.edu/context/65005/0 - 31k - Cached - Similar pages
[More results from citeseer.ist.psu.edu]

Glossary
Different kinds of **attributes** include single-valued **attributes**, multi-valued ... Often several
leased lines are joined together at a **network node**. ...
www.mysticseaport.org/library/msitia/glossary.html - 28k - Cached - Similar pages

An Inductive Machine Learning Approach to Information Retrieval
This interactive process of **relevance** feedback from users and inductive ... In ID5R, a non-
leaf **node** contains an **attribute** test (same as in ID3) and a set ...
ai.bpa.arizona.edu/papers/id3ir93/id3ir93.html - 46k - Cached - Similar pages

[PS] MOBI-DIC: MOBIle DIscovery of loCal Resources inPeer-to-Peer ...
File Format: Adobe PostScript - View as HTML
Thus reports transitively spread across **network nodes**. ... In other words, the **relevance** of
a report, and consequently its transmission probability, ...
sites.computer.org/debull/A05sept/wolfson.ps - Similar pages

Dynamic **Network** Analysis of Kinship and Politics:

A P-graph consists of a set of **nodes** that represent marriages, couples, ... The second line of response to the question of the **relevance** of **network** analysis ...
eclectic.ss.uci.edu/~drwhite/26Prospectus.htm - 178k - Cached - Similar pages

◄ Gooooooooooogle ►

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11   **Next**

Free! Speed up the web. Download the Google Web Accelerator.

| relevance network nodes and attribu | Search |

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Web   Images   Groups   News   Froogle   Maps   **more »**

Google™

relevance network display system   [Search]

Web   Results **1** - **10** of about **12,200,000** for <u>relevance **network** **display** **system**</u>. (0.27 seconds)

Scholarly articles for **relevance network display system**

Energy-Adaptive Display System Designs for Future Mobile ... -
by Iyer - 21 citations
Commentary: The relevance of social network concepts to ... - by
Rothenberg - 47 citations
GeoSpace: an interactive visualization system for ... - by Lokuge -
31 citations

General **Systems**, Education and the **relevance** of world **system** data ...

The process of interaction between **display** and person is really one in
which the ... Designing a global **network** of centers for general **systems**
education. ...
www.laetusinpraesens.org/docs60s/69sgsr.php - 95k -
Cached - Similar pages

Title Index

2 (DSS 2) — User-**network** interface layer 3 specification for ... The V
Distributed **System** · The Visual **Display** of Quantitative Information ...
dret.net/biblio/titles - 937k - Cached - Similar pages

Internet Archive Search: mediatype:"software"

It makes it possible to connect to an IBM host via TCP/IP with the TN5250 protocol and
emulate a 5250 Information **Display System**. ...
www.archive.org/ search.php?query=mediatype%3A%22software%22 - 60k -
Cached - Similar pages

GeoSpace:An Interactive Visualization **System** for Exploring Complex ...

A reactive **display**: The **system** provides users with a responsive visual environment. ...
The **system** uses an activation spreading **network** [1][9] to determine ...
www.acm.org/sigchi/chi95/proceedings/papers/il_bdy.htm - 30k - Cached - Similar pages

Definitions for EPSRC Sectors

Network systems, network services and applications, active networks, ... can't be readily
coded (use No **relevance** to Underpinning sectors if applicable). ...
gow.epsrc.ac.uk/Sectors_Def.htm - 31k - Cached - Similar pages

Those Pesky Blanking Screens: Using Software to Avoid Them - Intel ...

Learn how to override and reset power **system** settings with C (or C++) to ensure ... to
Explore in Addressing **Display** Interruption · Application **Relevance** ...
www.intel.com/cd/ids/developer/asmo-na/eng/256886.htm - 25k - Cached - Similar pages

AT&T calls for **relevance - Network** IT Week

System Support Manager. London | vnucompuk **Display** Ads for Southwark Council ...
Network IT Week. Personal Computer World. PC Magazine. VNU Web seminars ...
www.**network**itweek.co.uk/forbes/ news/2151435/att-calls-**relevance** - 54k -
Cached - Similar pages

Panasonic Phones & Business Phone **Systems**, Headsets, Speakerphones ...
TWAcomm.com is a leading provider of Panasonic phone **systems** including Panasonic
DBS ... Replacing the base of the large screen **display**, the analog adapter ...
www.twacomm.com/catalog/sort_REL/ jmp_panasonic/product_brand.htm - 82k -
Cached - Similar pages

Best Selling Phones and Phone Products - Top Selling Phones and ...
Designed for use with the Panasonic Advanced Hybrid Telephone **System** or the Digital
Hybrid Super **Systems**. 24 programmable buttons. Backlit LCD **display** shows ...
www.twacomm.com/catalog/ sort_REL/product_top.htm?items=10 - 48k -
Cached - Similar pages

Video Gaming, Education and Digital Learning Technologies ...
Next, the **relevance** of gaming to academia is highlighted, and the **relevance** of ... The
parallels with **network**-based teaching, learning and communication, ...
www.dlib.org/dlib/february02/ kirriemuir/02kirriemuir.html - 48k - Cached - Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

See all your photos right in your Sidebar.
Free! Download Google Desktop.

relevance network display system | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Google

Web   Images   Groups   News   Froogle   Maps   **more »**

| connecting element nodes and attribute nodes | Search | Advanced Search Preferences |

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web Results 1 - 10 of about **208,000** for <u>**connecting element nodes** and **attribute nodes** in **relevance netwc**</u>

Scholarly articles for **connecting element nodes and attribute nodes in relevance network**

A graph-based approach for extracting terminological ... - by Palopoli - 24 citations
A flexible model for retrieval of SGML documents - by Myaeng - 79 citations
Adding flexibility to structure similarity queries on ... - by Ciaccia - 6 citations

Connectivism: Learning as **Network**-Creation
A **network** requires at minimum two **elements**: **nodes** and connections. ... A **node** grows in popularity **(relevance)** as more **nodes** link to it. ...
www.learningcircuits.org/2005/nov2005/seimens.htm - 91k - Cached - Similar pages

EP1455283 Fujitsu european software patent - Information **relevance** ...
[0011] In the second **network** display step, the **attribute nodes** may be arranged ... **nodes** and by **connecting** the **element nodes** and the **attribute nodes** for the ...
gauss.ffii.org/PatentView/EP1455283 - 68k - Cached - Similar pages

elearnspace. Connectivism: Learning as **Network**-Creation
A **network** requires at minimum two **elements**: **nodes** and connections. ... In presenting the original theory of connectivism, I presented eight **attributes**: ...
www.elearnspace.org/Articles/**networks**.htm - 49k - Cached - Similar pages

[DOC] Our metaphors for learning have become tired and worn
File Format: Microsoft Word - View as HTML
A **network** requires at minimum two **elements**: **nodes** and connections. ... result in exponential knowledge growth through **connecting** similar **network elements**. ...
www.elearnspace.org/Articles/**networks**.doc - Similar pages

esp@cenet document view
... and by **connecting** with edges two **element nodes** possessing common **attribute** information by referring to the **relevance** information; and a second **network** ...
l2.espacenet.com/espacenet/viewer?PN=EP1455283 - 37k - Cached - Similar pages

Connectivism Blog
A **node** can form connections based mainly on its intrinsic (objective) **attributes**. The related by product of **connecting** several different **nodes** may create an ...
www.connectivism.ca/blog/ monthlist_html?year=2006&month=6 - 47k -
Cached - Similar pages

Cool-Connections — Connectivism
Centrality: "Centrality is a structural **attribute** of **nodes** in a **network** (not ... Principle 2: Learning is a process of **connecting** specialized **nodes** or ...
www.connectivism.ca/wiki/CoolConnections - 47k - Cached - Similar pages

E-Learning **Network** News
A **network** requires at minimum two **elements**: **nodes** and connections. ... Networked learning is a subset of connectivism, which consists of eight **attributes**: ...
www.astd.org/astd/Publications/ Newsletters/elearn_news/2005/Nov_Dec/siemens.htm -
51k - Cached - Similar pages

Searching Text-rich XML Documents with **Relevance** Ranking
Attribute values in a tag **elements** can also be searchable by specifying a ... the **relevance** score will be sum of the scores from the children **nodes**; ...
www.haifa.il.ibm.com/sigir00-xml/ final-papers/Hayashi/hayashi.html - 22k - Cached - Similar pages

[PDF] The Trillion-**Node Network**
File Format: PDF/Adobe Acrobat - View as HTML
Trillion-**Node Network** will not become a reality until. there is an agreement on a common ... candidate is the **attribute**/value pair. Dertouzos has long ...
www.maya.com/web/what/papers/ maya_trillion_node_network.pdf - Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

[connecting element nodes and attrib] Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google